

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

MUD BREAKER

Creation date 28th June 2026 Version 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier MUD BREAKER

Substance / mixture mixture

UFI 0J40-508J-3006-4TVK

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

Cleaning agent

Mixture uses advised against

Do not use the product in any way other than that specified in section 1.

1.3. Details of the supplier of the safety data sheet

Supplier

Name or trade name XZONE SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ Address LIGONIA 4, KRZYŻOWICE, 43-254

Poland

Phone +48508135568

Email Xzone@robertozon.com

Web address www.robertozon.com

1.4. Emergency telephone number

Poisoning information centre Freiburg, Mathildenstr. 1, 79106 Freiburg, emergency telephone: +49 761 19 240. Poisoning information centre, Erfurt, Nordhäuser Straße 74, 99089 Erfurt, Deutschland, tel.: +49 361 730 730. Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GIZ-Nord), Universitätsmedizin Göttingen, Georg-August Universität, Robert-Koch-Straße 40, 37075 Göttingen, Tel.: +49 551 19 240.

Poisoning information centre, Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen, Langenbeckstraße 1, Gebäude 601, 55131 Mainz, tel.: + 49 613 119 240. Poisoning information centre, Charité-Universitätsmedizin, Campus Benjamin Franklin, Hindenburgdamm 30, 12203 Berlin, telephone: +49 30 19240. Informationszentrale gegen Vergiftungen am Universitätsklinikum Bonn, Zentrum für Kinder- und Jugendmedizin, Venusberg-Campus 1, 53127 Bonn, Tel.: +49 228 19 240.

Poisoning information centre, München, Ismaninger Str. 22, 81675 München, tel.: +49 89 19 240.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Sens. 1A, H317

Eye Irrit. 2, H319

Aquatic Chronic 3, H412

Most serious adverse effects on human health and the environment

Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting

effects. 2.2. Label elements

Hazard pictogram

Signal word

Warning

Hazardous substances

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended
MUD BREAKER
Creation date 28th June 2026 Version 1.0

Hazard statements

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P280 Wear eye protection/protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to according to applicable regulations.

Supplemental information

Composition according to (EC) No 648/2004, as amended: <5 % anionic surfactants, <5 % non-ionic surfactants, <5 % EDTA and salts thereof, <5 % polycarboxylates, perfumes, Bronopol, CMI/MI, colorant

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended. Does not contain any PMT or vPvM components.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 011-005-00-2 CAS: 497-19-8 EC: 207-838-8	sodium carbonate	<5	Eye Irrit. 2, H319	

Index: 607-428-00-2 CAS: 64-02-8 EC: 200-573-9	tetrasodium ethylene diamine tetraacetate	1-5	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 57-55-6 EC: 200-338-0 Registration number: 01-2119456809-23-XXX X	Propan-1,2-diol	0.54-0.81	not classified as dangerous	
CAS: 78330-20-8 EC: 616-607-4	Alcohols, C9-11-iso-, C10-rich, ethoxylated	0.1-1	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 68891-38-3 EC: 500-234-8	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	0.1-1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	
Index: 603-085-00-8 CAS: 52-51-7 EC: 200-143-0	bronopol (INN)	<0.018	Acute Tox. 4, H302+H312 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10)	

Page 2/12

SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended				
MUD BREAKER				
Creation date 28th June 2026 Version 1.0				

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-057-00-5 CAS: 100-51-6 EC: 202-859-9 Registration number: 01-2119492630-38-XXX X	benzyl alcohol	0.009-0.0 27	Acute Tox. 4, H302 Skin Sens. 1B, H317 Eye Irrit. 2, H319 Specific concentration limit: ATE Oral = 1200 mg/kg bw	3
Index: 607-130-00-2 CAS: 123-92-2 EC: 204-662-3 Registration number: 01-2119548408-32	isopentyl acetate	<0.009	Flam. Liq. 3, H226 EUH066	2, 3
Index: 607-022-00-5 CAS: 141-78-6 EC: 205-500-4 Registration number: 01-2119475103-46-XXX X	ethyl acetate	<0.009	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	3

Index: 605-012-00-5 CAS: 100-52-7 EC: 202-860-4 Registration number: 01-2119455540-44-XXX X	benzaldehyde	<0.009	Acute Tox. 4, H302	
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	<0.005	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A, H317: C ≥ 0.0015 % Skin Irrit. 2, H315: 0.06 % ≤ C < 0.6 % Skin Corr. 1C, H314: C ≥ 0.6 % Eye Dam. 1, H318: C ≥ 0.6 %	1

Notes

1 Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

2 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers. 3 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SAFETY DATA SHEET	
according to Commission Regulation (EU) 2020/878 as amended	
MUD BREAKER	
Creation date 28th June 2026 Version 1.0	

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide

medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

DO NOT INDUCE VOMITING - even the induced vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected.

If on skin

May cause an allergic skin reaction.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

SAFETY DATA SHEET	
according to Commission Regulation (EU) 2020/878 as amended	
MUD BREAKER	
Creation date 28th June 2026 Version 1.0	

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage temperature min 0 °C, max 25 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains no substances for which occupational exposure limits are set.

European Union Commission Directive (EU) 2017/164

Substance name (component)	Type	Value
ethyl acetate (CAS: 141-78-6)	OEL 8 hours	734 mg/m ³
	OEL 8 hours	200 ppm
	OEL 15 minutes	1468 mg/m ³
	OEL 15 minutes	400 ppm

European Union Commission Directive 2000/39/EC

Substance name (component)	Type	Value
isopentyl acetate (CAS: 123-92-2)	OEL 8 hours	270 mg/m ³
	OEL 8 hours	50 ppm
	OEL 15 minutes	540 mg/m ³
	OEL 15 minutes	100 ppm

Germany TRGS 900

Substance name (component)	Type	Value
isopentyl acetate (CAS: 123-92-2)	8h	270 mg/m ³
	8h	50 ppm

ethyl acetate (CAS: 141-78-6)	Short	270 mg/m ³
	Short	50 ppm
	8h	730 mg/m ³
	8h	200 ppm
	Short	1460 mg/m ³

Page 5/12

SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended			
MUD BREAKER			
Creation date 28th June 2026 Version 1.0			

Germany TRGS 900

Substance name (component)	Type	Value
ethyl acetate (CAS: 141-78-6)	Short	400 ppm

Germany TRGS 900

Substance name (component)	Type	Value
benzyl alcohol (CAS: 100-51-6)	8h	22 mg/m ³
	8h	5 ppm
	Short	44 mg/m ³
	Short	10 ppm

Notes

Sum of vapor and aerosols.

Absorbed through the skin.

DNEL

benzaldehyde			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	6.3 mg/m ³	Chronic effects local
Workers	Inhalation	10.4 mg/m ³	Chronic effects systemic

8.2. Exposure controls

Take off contaminated clothing and wash before reuse. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly. **Respiratory protection**

It is not needed.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Decomposition temperature
Colour	
Odour	Page 6/12
Melting point/freezing point	liquid
Boiling point or initial boiling point and boiling range	data not available data not available data not available
Flammability	data not available data not available data not available
Lower and upper explosion limit	data not available data not available data not available
Flash point	available data not available
Auto-ignition temperature	

SAFETY DATA SHEET
according to Commission Regulation (EU) 2020/878 as amended
MUD BREAKER
Creation date 28th June 2026 Version 1.0

pH	10.1. Reactivity
Kinematic viscosity	not available
Solubility in water	10.2. Chemical stability
Partition coefficient n-octanol/water (log value)	The product is stable under normal conditions.
Vapour pressure	10.3. Possibility of hazardous reactions
Density and/or relative density	Unknown.
Density	10.4. Conditions to avoid
Relative vapour density	10.5 (undiluted)
Particle characteristics	data not available soluble
Form	data not available data not available
9.2. Other information	
not available	1.046 g/cm³ at 25 °C data not available data not available liquid

SECTION 10: Stability and reactivity

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

MUD BREAKER						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	50000 mg/kg				Calculation of value

benzaldehyde						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	500 mg/kg bw				

benzyl alcohol						
Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	1200 mg/kg				

SAFETY DATA SHEET

according to Commission Regulation (EU) 2020/878 as amended

MUD BREAKER

Creation date 28th June 2026 Version 1.0

benzyl alcohol

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	1200 mg/kg bw				

tetrasodium ethylene diamine tetraacetate

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	3030 mg/kg		Rat (Rattus norvegicus)		
Dermal	LD ₅₀	>5000 mg/kg		Rabbit		

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

not available

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may

cause endocrine disruption for humans.

Other information

not available

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Page 8/12

SAFETY DATA SHEET
according to Commission Regulation (EU) 2020/878 as amended
MUD BREAKER
Creation date 28th June 2026 Version 1.0

The mixture is biodegradable.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any PBT or vPvB components.

12.6. Endocrine disrupting properties

Based on the available data, the criteria for classification of the mixture are not met. Does not contain any components that may cause endocrine disruption in the environment.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Law on the placing on the market, return and high-quality recycling of packaging (Packaging Act - VerpackG) of June 9th, 2021, valid from January 1st, 2022. Ordinance on the European List of Waste (German Waste Catalogue Ordinance -Verordnung über das Europäische Abfallverzeichnis - AVV). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant

Page 9/12

SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended
MUD BREAKER
Creation date 28th June 2026 Version 1.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Prevention Act. Ordinance on facilities for handling substances that are hazardous to water (AwSV) of 18 April 2017. Protection of Young Persons (Employment) Act (Child Labor Law - JArbSchG). Ordinance on protection against hazardous substances (Hazardous Substances Ordinance - GefStoffV). Technical Instructions on Air Quality Control. Act on protection against dangerous substances and preparations (Chemicals Act - ChemG). Ordinance to protect the climate from changes caused by the input of certain fluorinated greenhouse gases (Chemicals Climate Protection Ordinance - ChemKlimaschutzV). Act on the implementation of occupational safety and health measures to improve workplace safety and health. TRGS 900. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH071 Corrosive to the respiratory tract.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H302+H312 Harmful if swallowed or in contact with skin.

H310+H330 Fatal in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P264 Wash hands thoroughly after handling.
P280 Wear eye protection/protective gloves.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container to according to applicable regulations.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Page 10/12

SAFETY DATA SHEET according to Commission Regulation (EU) 2020/878 as amended	
MUD BREAKER	
Creation date 28th June 2026 Version 1.0	

Key to abbreviations and acronyms used in the safety data sheet

Acute Tox. Acute toxicity
ADR Agreement concerning the international carriage of dangerous goods by road AGW Occupational Exposure Limits
Aquatic Acute Hazardous to the aquatic environment
Aquatic Chronic Hazardous to the aquatic environment (chronic)
ATE Acute toxicity estimate
BCF Bioconcentration Factor
CAS Chemical Abstracts Service
CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC Identification code for each substance listed in EINECS
EINECS European Inventory of Existing Commercial Chemical Substances
EmS Emergency Response Procedures for Ships Carrying Dangerous Goods EU European Union
EuPCS European Product Categorisation System
Eye Dam. Serious eye damage
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid
IATA International Air Transport Association
IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization
INCI International Nomenclature of Cosmetic Ingredients

ISO International Organization for Standardization
 IUPAC International Union of Pure and Applied Chemistry
 LD₅₀ Lethal dose of a substance in which it can be expected death of 50% of the population log Kow Octanol-water partition coefficient
 MAK Maximum workplace concentration
 OEL Occupational Exposure Limits
 PBT Persistent, bioaccumulative and toxic
 PMT Persistent, mobile and toxic
 ppm Parts per million
 REACH Registration, Evaluation, Authorisation and Restriction of Chemicals
 RID Regulation concerning the International Carriage of Dangerous Goods by Rail Skin Corr. Skin corrosion
 Skin Irrit. Skin irritation
 Skin Sens. Skin sensitization
 STOT SE Specific target organ toxicity - single exposure
 UN number Four-figure identification number of the substance or article taken from the UN Model Regulations
 UVCB Substances of unknown or variable composition, complex reaction products or biological materials
 VOC Volatile organic compounds
 vPvB Very persistent and very bioaccumulative
 vPvM Very persistent and very mobile
Training guidelines

Page 11/12

SAFETY DATA SHEET	
according to Commission Regulation (EU) 2020/878 as amended	
MUD BREAKER	
Creation date 28th June 2026 Version 1.0	

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

Do not use on hot surfaces. Do not allow to dry. Check surface compatibility before use. After use, rinse thoroughly with water. **Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
 REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 2.0 replaces the SDS version from Friday, 24 March 2023. Changes were made in sections 2, 11, 12, 13, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

